

Article Print o Versio	date:	ZX020003AJ10 14.09.2021 4.0096	Brilliance Everclear Revision date: 11.09.2021 EN Issue date: 11.09.2021 Page 1 / 7
SEC	TION 1: Ide	entification of the	e substance/mixture and of the company/undertaking
1.1.	Product id		
		(manufacturer/supp e/designation	vlier) ZX020003AJ10 Brilliance Everclear matt Stat.Warennummer: 3405.20.000
1.2.	Relevant i	dentified uses of th	he substance or mixture and uses advised against
		dentified uses r paint related mate	rial
1.3.	Details of t	the supplier of the	safety data sheet
			rter/downstream user/distributor)
	Berger-Seid Parkettlack Maybachstr 67269 Grün Germany	e - Klebstoffe - Bau raße 2	chemie Telephone: +49 6359 / 8005-0 Telefax: +49 6359 / 8005-170
	Laboratory	nt responsible for i	
	E-mail		Sicherheitsdaten@berger-seidle.de
1.4.	24-hour em (BLG)	y telephone number hergency number: +-	
SEC		zards identificat	
2.1.		ion of the substan	Regulation (EC) No 1272/2008 [CLP]
		-	t hazardous according to regulation (EC) No 1272/2008 [CLP].
2.2.	Label elem	nents	
	Labelling a	according to Regu	lation (EC) No. 1272/2008 [CLP]
	Hazard pic	tograms	
	Hazard sta	i tements not appl	licable
	Precautior	nary statements not appl	licable
	Hazard co	mponents for labe	lling
	Suppleme EUH208 EUH210	ntal hazard informa Contain	
2.3.	Other haza	ards	
	No informa	tion available.	
		rmation: If medical Read label before u	l advice is needed, have product container or label at hand. Keep out of reach of ise.
SEC	TION 3: Co	omposition / info	rmation on ingredients
3.2.	Mixtures		
	Descriptio	n Emulsio	ons/Coating products
	Classificat	ion according to R	Regulation (EC) No 1272/2008 [CLP]

Classification a	according to Regulation (EC) No 12/2/2008 [CLP]	
EC No.	REACH No.	
CAS No.	Designation	weight-%
Index No.	classification: // Remark	



Article No.:	ZX020003AJ10	Brilliance Everclear		
Print date:	14.09.2021	Revision date: 11.09.2021	EN	
Version:	4.0096	Issue date: 11.09.2021	Page 2 / 7	

not applicable

Additional information

weight-%

Full text of classification: see section 16

Labelling for contents according to regulation (EC) No. 648/2004:

Ingredient

citral

(R)-p-mentha-1,8-diene (Limonene)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

Thist Aid, decontamination, treatment of syn

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



Article No.:	ZX020003AJ10	Brilliance Everclear
Print date:	14.09.2021	Revision date: 11.09.2021
Version:	4.0096	Issue date: 11.09.2021

EN Page 3 / 7

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: Butyl caoutchouc (butyl rubber) / Butyl caoutchouc (butyl rubber)

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374 Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.



Print date: 14.09.2021 Rev	iance Everclear ision date: 11.09.2021 ie date: 11.09.2021
----------------------------	--

EN Page 4 / 7

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and chemical p	properties	
	Appearance:		
	Physical state:	Liquid	
	Appearance: Colour:	Liquid white	
	Odour:	characteristic	
	Odour threshold:	not applicable	
	pH at 20 °C:	not applicable	
	Melting point/freezing point:	not applicable	
	Initial boiling point and boiling range:	100 °C	
	—	Source: water	
	Flash point:	not applicable	
	Evaporation rate:	not applicable	
	flammability		
	Burning time:	not applicable	
	Upper/lower flammability or explosive limits: Lower explosion limit:	not applicable	
	Upper explosion limit:	not applicable	
	Vapour pressure at 20 °C:	23 mbar	
		Method: calculated.	
		Source: water	
	Vapour density:	not applicable	
	Relative density:		
	Density at 20 °C:	1,02 g/cm ³	
	Relative density at 20 °C:	not applicable	
	Solubility(ies): Water solubility at 20 °C:	miscible	
	Partition coefficient: n-octanol/water:	see section 12	
	Auto-ignition temperature:	not applicable	
	Decomposition temperature:	not applicable	
	Viscosity at 20 °C:	12 s 4 mm	
	Viscosity at 20°0.	Method: DIN 53211	
	Explosive properties:	not applicable	
	Oxidising properties:	not applicable	
9.2.	Other information		
	Solvent separation test:	< 3 weight-% (ADR/RID)	
	Bulk density:		
	Drop point/drop range:		
	Pour point:	0°C	
SEC	TION 10: Stability and reactivity		

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.



Article No.:	ZX020003AJ10	Brilliance Everclear		
Print date:	14.09.2021	Revision date: 11.09.2021	EN	
Version:	4.0096	Issue date: 11.09.2021	Page 5 / 7	

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials not applicable

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity, calculated:

ATEmix calculated, oral: > 5000 mg/kg ATEmix calculated, dermal: > 5000 mg/kg

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability



Article Print d Versio	ate:	ZX020003AJ10 14.09.2021 4.0096	Brilliance Everclear Revision date: 11.09.2021 Issue date: 11.09.2021	EN Page 6 / 7
	Toxicologica	al data are not avail	able.	
12.3.		lative potential		
	-	al data are not avail		
		tration factor (BCF		
40.4	•	al data are not avail	able.	
12.4.	Mobility in	soii al data are not avail	able	
12.5	0	PBT and vPvB ass		
12.0.			do not meet the PBT/vPvB criteria ac	cording to REACH. annex XIII.
12.6.	Other adve			
	No informat	ion available.		
SECT	FION 13: D	isposal consider	ations	
13.1.	Waste treat	tment methods		
	Recommer			
			ice water or drains. This material and 2008/98/EC, covering waste and dan	I its container must be disposed of in a safe way. Waste gerous waste.
	List of prop 200130		s/waste designations in accordanc	
	Recommen		-	
	Non-contar	ninated packages m	ay be recycled. Vessels not properly	emptied are special waste.
SECT	ΓΙΟΝ 14: Τι	ransport informa	tion	
	No dangero	ous good in sense	of this transport regulation.	
14.1.	UN number	r		
14.0	UN proper	chinning nomo	not applicable	
14.2.	UN proper	shipping name		
14.3.	Transport I	nazard class(es)		
	•		not applicable	
14.4.	Packing gr	oup		
			not applicable	
14.5.		ntal hazards		
	-	ort (ADR/RID)	not applicable	
14.0	Marine pollu		not applicable	
14.6.		cautions for user	isht and acts containers. Make aver	bet severe transmetting the product lynguingbet to do in
	case of an a	accident or leakage safe handling: see		hat persons transporting the product know what to do in
	Further info	ormation		
	Land trans	port (ADR/RID)		
	tunnel restri		-	
	Sea transp	ort (IMDG)		
	EmS-No.		not applicable	
14.7.		n bulk according f	o Annex II of Marpol and the IBC C	ode
	not applicat	-		
		egulatory inform	ation	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Article No.:	ZX020003AJ10	Brilliance Everclear	
Print date:	14.09.2021	Revision date: 11.09.2021	EN
Version:	4.0096	Issue date: 11.09.2021	Page 7 / 7

EU legislation

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L) ISO 11890-2: 28 VOC-value (in g/L) ASTM D2369: 270

National regulations

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations, restrictions and prohibition regulations

Other information:

Denmark:

MAL-Kode (MAL Kode ready-to-use):

Switzerland:

Volatile organic compounds (VOC) content in percent by weight: 0

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Appreviations and a	conyms
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.