

						Parkett will das Beste!			
Article Print d Versio	late:	ZZ13000ACJ10 22.01.2021 8.0026	Brilliance BioSoap Revision date: 17.0 Issue date: 17.01.2	01.2021	EN Page 1 / 8				
SEC	TION 1: Id	entification of the	e substance/mixtu	ire and of the	company/undertaking				
1.1.	Product ic	lentifier							
	Article No.	(manufacturer/supp le/designation	lier)	ZZ13000ACJ [.] Brilliance Bios Holzbodensei Stat.Warennu	Soap				
1.2.	Relevant i	dentified uses of th	ne substance or mix	kture and uses	advised against				
1.3.	Details of	Details of the supplier of the safety data sheet							
			rter/downstream us	er/distributor)					
	Berger-Sei Parkettlach Maybachsi 67269 Grü Germany	ke - Klebstoffe - Bauk traße 2	chemie		49 6359 / 8005-0 6359 / 8005-170				
	Departme	nt responsible for i	nformation:						
	Laboratory	,		0.1					
1 1	E-mail	w talanhana numbr		Sicherheitsda	ten@berger-seidle.de				
1.4.	24-hour en (BLG)	ey telephone number nergency number: +4)0 24112112 (BI	G)				
050		0		50 2 11 12 112 (BI					
SEC	TION 2: H	azards identificati	ion						
		-	egulation (EC) No 1 hazardous accordin	-] EC) No 1272/2008 [CLP].				
2.2.	Label eler	nents							
	Labelling	according to Regul	ation (EC) No. 1272	2/2008 [CLP]					
	Hazard pie	ctograms							
	Hazard sta	atements not appl	icable						
	Precautio	nary statements							
	Tioouullo	not appl	icable						
	Hazard co	mponents for label not appl							
	Suppleme EUH208 EUH210				uce an allergic reaction.				
2.3.	Other haz	ards							
	No informa	ation available.							
		rmation: If medical Read label before u	-	have product c	ontainer or label at hand	. Keep out of reach of			
SEC	TION 3: C	omposition / info	mation on ingred	lients					
3.2.	Mixtures	-	•						
0.2.	Descriptio	n							
	-		egulation (EC) No 1	1272/2008 ICI P	'n				
	EC No. CAS No. Index No.	REACH Designa	No.		1	weight-%			



Article No.: Print date: Version:	ZZ13000ACJ10 22.01.2021 8.0026	Brilliance BioSoap Revision date: 17.01.2021 Issue date: 17.01.2021	EN Page 2 / 8	
200-578-6 64-17-5 603-002-0	Ethano	9457610-43-XXXX . 2 H319 / Flam. Liq. 2 H225	7,5	5 - 10
	Il information f classification: see s	section 16		
Labelling	for contents accor	ents according to regulation (EC) No. 648/2004:		
weight-%	Ingredi	ent		
	citral			
	(R)-p-m	entha-1,8-diene (Limonene)		
SECTION 4: F	irst aid measures			

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



Article No.:	ZZ13000ACJ10	Brilliance BioSoap
Print date:	22.01.2021	Revision date: 17.01.2021
Version:	8.0026	Issue date: 17.01.2021

EN Page 3 / 8

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

Ethanol Index No. 603-002-00-5 / EC No. 200-578-6 / CAS No. 64-17-5 WEL, TWA: 1920 mg/m3; 1000 ppm

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: Butyl caoutchouc (butyl rubber) / Butyl caoutchouc (butyl rubber)

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended



Article No.:	ZZ13000ACJ10	Brilliance BioSoap	
Print date:	22.01.2021	Revision date: 17.01.2021	EN
Version:	8.0026	Issue date: 17.01.2021	Page 4 / 8

glove articles EN ISO 374 Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1.	information on basic physical and chemical properties					
	Appearance: Physical state: Appearance: Colour:	Liquid Liquid brown				
	Odour:	characteristic				
	Odour threshold:	not applicable				
	pH at 20 °C:	not applicable				
	Melting point/freezing point:	not applicable				
	Initial boiling point and boiling range:	78 °C Source: Ethanol				
	Flash point:	> 105 °C				
	Evaporation rate:	not applicable				
	flammability					
	Burning time:	not applicable				
	Upper/lower flammability or explosive limits:	0.0.1/-1.0/				
	Lower explosion limit: Upper explosion limit:	0,8 Vol-% 15 Vol-% Source: Ethanol				
	Vapour pressure at 20 °C:	58 mbar Method: calculated. Source: Ethanol				
	Vapour density:	not applicable				
	Relative density: Density at 20 °C: Relative density at 20 °C:	0,97 g/cm³ not applicable				
	Solubility(ies): Water solubility at 20 °C:	partially soluble				
	Partition coefficient: n-octanol/water:	see section 12				
	Auto-ignition temperature:	> 363 °C Source: Ethanol				
	Decomposition temperature:	not applicable				
	Viscosity at 20 °C:	12 s 4 mm Method: DIN 53211				
	Explosive properties:	not applicable				
	Oxidising properties:	not applicable				
9.2.	Other information					
	Solvent separation test: Bulk density: Drop point/drop range:	< 3 weight-% (ADR/RID)				



Article Print d		ZZ13000ACJ10 22.01.2021	Brilliance BioSoap Revision date: 17.01.2021	EN				
Versio		8.0026	Issue date: 17.01.2021	Page 5 / 8				
	Pour point	:	0 °C					
SEC	FION 10: S	tability and react	ivity					
10.1.	Reactivity No informat	tion available.						
10.2.	Chemical s Stable when section 7.		nmended regulations for storage and h	andling. Further information on correct storage: refer t				
10.3.		of hazardous read from strong acids,	tions strong bases and strong oxidizing agen	ts to avoid exothermic reactions.				
10.4.	 Conditions to avoid Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures. 							
10.5.	Incompatik not applicat	ble materials ble						
10.6.	Hazardous	decomposition production decomposition bypogen oxides.		n temperatures, e.g.: carbon dioxide, carbon monoxide				
SEC	FION 11: T	oxicological info	rmation					
		on according to Reg preparation itself a	ulation (EC) No 1272/2008 [CLP] /ailable.					
11.1.	Information on toxicological effects							
	Acute toxicity, calculated:							
	ATEmix calculated, oral: > 5000 mg/kg							
	Acute toxic	city						
	Method: (dermal, LI Method: (D50, Rabbit: > 1000 DECD 402 (vapours), LC50, R						
	Skin corrosion/irritation; Serious eye damage/eye irritation							
	Ethanol eyes							
	Respiratory or skin sensitisation							
	Based on available data, the classification criteria are not met.							
	CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)							
	Based on available data, the classification criteria are not met.							
	STOT-single exposure; STOT-repeated exposure							
	Based on available data, the classification criteria are not met.							
	Aspiration		assification criteria are not met.					
		vallable data, the c xperience/human						
	Inhaling of and respiration	solvent components tory organs, as well	above the MWC-value can lead to hea as damage to the liver, kidneys and the	alth damage, e.g. irritation of the mucous membrane e central nerve system. Indications for this are: ses: unconsciousness. Solvents may cause some of th				

headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.



Article No.:	ZZ13000ACJ10	Brilliance BioSoap
Print date:	22.01.2021	Revision date: 17.01.2021
Version:	8.0026	Issue date: 17.01.2021

EN Page 6 / 8

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Ethanol

Fish toxicity, LC50, Alburnus alburnus (alburnum): 1100 mg/L (96 h) Daphnia toxicity, EC50, Daphnia magna (Big water flea) 9268 - 14221 mg/L (48 h) Fish toxicity, Leuciscus idus (golden orfe): 8150 (48 h) Algae toxicity, Scenedesmus quadricauda: 5000 (168 h)

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

not applicable

- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group

not applicable

- not applicable
- 14.5. Environmental hazards



Article Print d Versio	late: 22.01	000ACJ10 1.2021 26	Brilliance BioSoap Revision date: 17.01.2021 Issue date: 17.01.2021	EN Page 7 / 8		
	Land transport (Al	DR/RID)	not applicable			
	Marine pollutant	,	not applicable			
14 6	-	ons for user				
11.0.	Special precautions for user Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8					
	Further information	on				
	Land transport (A	-	-			
	Sea transport (IN					
	EmS-No.	100)	not applicable			
14.7		according f	to Annex II of Marpol and the IBC Cod	le		
	not applicable	t dooor dinig t		-		
SEC.	TION 15: Regula	tory inform	ation			
		-	ental regulations/legislation specific fo	or the substance or mixture		
10.1.	EU legislation					
	-	FU on indu	strial emissions [Industrial Emissions	s Directive]		
	VOC-value (in g/L VOC-value (in g/L) ISO 11890-	2: 135			
	National regulati	ons				
		ent restriction	ns under the Maternity Protection Directi ment for juvenils according to the 'juveni	ive (92/85/EEC) for expectant or nursing mothers. le work protection guideline' (94/33/EC).		
	Other regulations	s, restriction	is and prohibition regulations			
15.2.	Chemical Safety Chemical safety a		t for substances in this mixture were not c	carried out.		
SEC.	TION 16: Other i	nformation				
	Full text of class	ification in s	ection 3:			
	Eye Irrit. 2 / H319		Serious eye damage/eye irritation	Causes serious eye irritation.		
	Flam. Liq. 2 / H22	5				
			Flammable liquids	Highly flammable liquid and vapour.		
	Abbreviations an			Highly flammable liquid and vapour.		
	ADR	Europea	an Agreement concerning the Internation			
		Europea Occupat		Highly flammable liquid and vapour.		
	ADR OEL BLV CAS	Europea Occupat Biologica Chemica	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service	Highly flammable liquid and vapour.		
	ADR OEL BLV CAS CLP	Europea Occupat Biologica Chemica Classific	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging	Highly flammable liquid and vapour.		
	ADR OEL BLV CAS CLP CMR	Europea Occupat Biologic Chemica Classific Carcinos	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic	Highly flammable liquid and vapour. al Carriage of Dangerous Goods by Road		
	ADR OEL BLV CAS CLP CMR DIN	Europea Occupat Biologica Chemica Classific Carcinog German	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German ir	Highly flammable liquid and vapour. al Carriage of Dangerous Goods by Road		
	ADR OEL BLV CAS CLP CMR	Europea Occupat Biologica Chemica Classific Carcinog German Derived	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German ir No-Effect Level	Highly flammable liquid and vapour. al Carriage of Dangerous Goods by Road		
	ADR OEL BLV CAS CLP CMR DIN DNEL	Europea Occupat Biologica Chemica Classific Carcinog German Derived Europea	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German ir	Highly flammable liquid and vapour. al Carriage of Dangerous Goods by Road		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC	Europea Occupat Biologica Chemica Classific Carcinog German Derived Europea Effective Europea	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German in No-Effect Level an Waste Catalogue Directive e Concentration an Community	Highly flammable liquid and vapour. al Carriage of Dangerous Goods by Road		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC EN	Europea Occupat Biologica Chemica Classific Carcinog German Derived Europea Effective Europea Europea	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German ir No-Effect Level an Waste Catalogue Directive e Concentration an Community an Standard	Highly flammable liquid and vapour. al Carriage of Dangerous Goods by Road		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC EC EN IATA-DGR	Europea Occupat Biologica Chemica Classific Carcinog German Derived Europea Effective Europea Internati	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German ir No-Effect Level an Waste Catalogue Directive e Concentration an Community an Standard ional Air Transport Association – Danger	Highly flammable liquid and vapour. nal Carriage of Dangerous Goods by Road ndustrial standard		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC EC EN IATA-DGR IBC Code	Europea Occupat Biologica Chemica Classific Carcinog German Derived Europea Effective Europea Internati Internati	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German in No-Effect Level an Waste Catalogue Directive e Concentration an Community an Standard ional Air Transport Association – Danger ional Code for the Construction and Equi	Highly flammable liquid and vapour. nal Carriage of Dangerous Goods by Road ndustrial standard rous Goods Regulations ipment of Ships carrying Dangerous Chemicals in Bul		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC EC EN IATA-DGR	Europea Occupat Biologica Chemica Classific Carcinog German Derived Europea Effective Europea Internati Internati	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German in No-Effect Level an Waste Catalogue Directive e Concentration an Community an Standard ional Air Transport Association – Danger ional Code for the Construction and Equi ional Civil Aviation Organization Techni	Highly flammable liquid and vapour. nal Carriage of Dangerous Goods by Road ndustrial standard rous Goods Regulations ipment of Ships carrying Dangerous Chemicals in Bul		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC EC EN IATA-DGR IBC Code ICAO-TI	Europea Occupat Biologic: Chemica Classific Carcinog German Derived Europea Effective Europea Internati Internati Goods b Internati	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German in No-Effect Level an Waste Catalogue Directive e Concentration an Community an Standard ional Air Transport Association – Danger ional Code for the Construction and Equi ional Civil Aviation Organization Techni by Air	Highly flammable liquid and vapour. nal Carriage of Dangerous Goods by Road ndustrial standard rous Goods Regulations ipment of Ships carrying Dangerous Chemicals in Bull ical Instructions for the Safe Transport of Dangerou		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC EC EN IATA-DGR IBC Code ICAO-TI	Europea Occupat Biologic: Chemica Classific Carcinog German Derived Europea Europea Europea Internati Internati Goods b Internati Internati	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German in No-Effect Level an Waste Catalogue Directive e Concentration an Community an Standard ional Air Transport Association – Danger ional Code for the Construction and Equi ional Civil Aviation Organization Techni by Air ional Maritime Code for Dangerous Good ional Organization for Standardization	Highly flammable liquid and vapour. nal Carriage of Dangerous Goods by Road ndustrial standard rous Goods Regulations ipment of Ships carrying Dangerous Chemicals in Bull ical Instructions for the Safe Transport of Dangerou		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC EC EN IATA-DGR IBC Code ICAO-TI IMDG Code ISO LC	Europea Occupat Biologic: Chemica Classific Carcinog German Derived Europea Europea Europea Internati Internati Goods b Internati Internati Lethal C	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German in No-Effect Level an Waste Catalogue Directive e Concentration an Community an Standard ional Air Transport Association – Danger ional Code for the Construction and Equi ional Civil Aviation Organization Techni by Air ional Maritime Code for Dangerous Good ional Organization for Standardization concentration	Highly flammable liquid and vapour. nal Carriage of Dangerous Goods by Road ndustrial standard rous Goods Regulations ipment of Ships carrying Dangerous Chemicals in Bull ical Instructions for the Safe Transport of Dangerou		
	ADR OEL BLV CAS CLP CMR DIN DNEL EAKV EC EC EC EN IATA-DGR IBC Code ICAO-TI	Europea Occupat Biologic: Chemica Classific Carcinog German Derived Europea Europea Europea Internati Internati Goods b Internati Internati	an Agreement concerning the Internation tional Exposure Limit Value al Limit Value al Abstracts Service cation, Labelling and Packaging genic, Mutagenic and Reprotoxic Institute for Standardization / German in No-Effect Level an Waste Catalogue Directive e Concentration an Community an Standard ional Air Transport Association – Danger ional Code for the Construction and Equi ional Civil Aviation Organization Techni by Air ional Maritime Code for Dangerous Good ional Organization for Standardization concentration	Highly flammable liquid and vapou nal Carriage of Dangerous Goods by Road ndustrial standard rous Goods Regulations ipment of Ships carrying Dangerous Cher ical Instructions for the Safe Transport		



Article No.: Print date: Version:	ZZ13000ACJ10 22.01.2021 8.0026	Brilliance BioSoap Revision date: 17.01.2021 Issue date: 17.01.2021	EN Page 8 / 8			
OECD	Organis	ation for Economic Cooperation and	Development			
PBT	persistent, bioaccumulative, toxic Predicted No Effect Concentration					
PNEC						
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals					
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail					
UN	United I	Nations				
VOC	Volatile	Organic Compounds				
vPvB	very pe	rsistent and very bioaccumulative				

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.